




Military & Tactical

-FALCON & EAGLE-

MILITARY & TACTICAL SUSPENSION INSTRUCTIONS



INSTRUCTION INDEX


Safety Warnings	p. 2-3
Care & Cleaning	p. 3
Suspension Features	p. 4
Custom Fitting your Pack	p. 5-9
Frame Shaping	p. 9-10
Packing Hints	p. 11
Kelty Warranty	p. 12


Save these instructions for future reference.

SAFETY INFORMATION

-IMPORTANT-

- Read, and follow, all instructions before using this backpack!
- Failure to follow these warnings could result in a potentially hazardous situation which, if not avoided, could cause rapid fatigue, death, serious injury, or permanent disability to you or others.

 **WARNING:** Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.

 **CAUTION:** Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.

WARNING

THIS BACKPACK MAY AFFECT YOUR COORDINATION AND BALANCE

- Before use, DO familiarize yourself with the added weight of the pack and its contents.
 - DO use a spotter to assist you when hoisting pack onto your shoulders.
 - When strapping items such as skis to the pack, be aware that they can catch on overhead obstructions causing you to lose your balance and fall.
 - DO NOT overload the pack, and don't carry more weight than you can manage.
-

WARNING

PROTECT YOURSELF

- DO NOT place the backpack near a campfire, stove, or any open flame.
- Only carry liquid fuel in containers approved for such use, and make sure they are tightly sealed before placing in a pack.

CAUTION

DO NOT USE A DAMAGED BACKPACK

- DO check the condition of the backpack before each use.
- DO check to assure all buckles snaps, straps, and adjustments are secure before each use.
- DO NOT use the pack if the frame, fabric, straps or buckles are damaged.
- DO NOT use the pack if it is damaged in any way.
- DO NOT leave (store) a pack in direct sunlight. Ultra-violet light will cause materials to weaken and fade.
- For assistance in repairing your pack or answering any questions, call Kelty Customer support staff (toll free) at 866-349-7225 (866-FIX-PACK).

CARE AND CLEANING

1. Brush off loose dirt with a dry brush.
2. As needed, wipe out the inside with a damp sponge and mild soap.
3. Rinse only, if possible. Use cold water and a sponge, or rinse in a tub without soap.
4. Machine wash in front-loading unit with cold water and mild soap (such as Ivory Flakes, Woolite, Sport Wash, etc.), not detergents. DO NOT use a machine with an agitator, as agitators can cause damage not covered under warranty.
5. DO NOT soak in soapy water; it may cause damage to the coated fabric.
6. Rinse thoroughly to eliminate soap residue.
7. DO NOT use a dryer; air dry only.
8. Always store in a cool, dry area.

ZIPPER CARE

1. Keep loose threads trimmed.
2. Keep free from dirt.
3. Spray periodically with a non-greasy, non-staining silicone spray designed for fabrics.
4. To prevent salt water corrosion on zipper pulls, make sure you rinse with clear water after exposure.

1. SUSPENSION FEATURES

ALUMINUM STAYS
provide load transfer,
strength, and support.

Anatomically curved
**SHOULDER STRAPS
& BACK PANEL**
adjust vertically on
the stays for perfect
torso fit.


Adjustable-height
STERNUM STRAP
helps stabilize load.

Padded **YOKE SYSTEM**
provides comfortable
load support.

Contoured **WAISTBELT**
with Scherer Cinch and
plastic reinforcement gives
load support.

LOAD-LIFTER STRAPS
lift the pack's weight
off the shoulders.

BELT STABILIZER STRAPS
on waistbelt help to
transfer and control load.



2. FITTING YOUR PACK

Follow these steps **IN SEQUENCE** to achieve the best fit every time you use your pack. Refer to the figure on page 4 to identify pack parts.

Before starting, loosen all load-lifter and belt stabilizer straps.

A. FIRST, weight the pack with at least 25 pounds (35 pounds is ideal).

B. NEXT, put the pack on and tighten the waistbelt. Make sure you place the waistbelt in the proper location (Figures 2A & 2B).




Figure 2A




Figure 2B

It is recommended to wear the belt on the hip bones, just under the rib cage. If you still prefer to wear the belt low, add one to two inches to your torso length measurement. Figure 2A shows both the preferred placement of the waistbelt and an example of a belt worn low. The low position is not recommended. Once positioned correctly, tighten the belt to prevent it from sliding. (A good rule of thumb is to have the belt buckle approximately over your belly button.)

Benefits of wearing the belt high on the waist:

- Proper loading of the skeletal frame, further supported by the two strongest muscle groups in the body: the quadriceps and gluteals
- Blood flow and nerves route across the front of the hips; wearing the belt too low can restrict blood flow, causing muscle fatigue, nerve pinching, and possible numbness.

- C. Once the waistbelt is in the correct position, tighten the shoulder straps.** To tighten the shoulder straps, pull the webbing at the lower ends of the shoulder strap down and back. The pad of the shoulder strap should start one to two inches below the top of your shoulder (**Figure 2C**). (Put a little more load on your shoulders than you want to end up with.) During this operation the load-lifter straps should be kept loose.

With the waistbelt positioned correctly and the shoulder straps positioned as shown below, you have achieved a perfect fit.




Figure 2C

If you do not have the correct shoulder strap position, you will need to adjust the torso length as directed in the following section.




Figure 2D

- I. Undo the Velcro side flaps (Figure 2D), and then flip the side flaps under the sliding panel to prevent re-Velcroing (Figure 2E).




Figure 2E

- II. Slide the shoulder panel into the correct position by pulling up or down on the shoulder straps and backpanel (Figure 2F).




Figure 2F

- III. Re-Velcro the side flaps.




Figure 2G

D. Snug the load-lifter straps (Figure 2G). This lifts the shoulder straps (and the pack's weight) off the top of your shoulders. Don't allow the load-lifters to pull the shoulder straps more than 1/2 inch off your shoulder, or it will create pressure points. If the pack feels better the more you pull the load-lifters, the stays might need to be adjusted.




Figure 2H

E. OPTIONAL- Position the sternum strap (Figure 2H) on your chest, and pull it snug. The sternum strap should cross your chest high, just below your clavicle, so it doesn't interfere with your breathing. Some people find it more comfortable not to use the sternum strap when breathing hard—especially at altitude.




Figure 2I

F. OPTIONAL- Pull the belt stabilizers just snug (Figure 2I). If overtightening them feels good, you might need to bend more curve into the frame in the lumbar region. Overtightening causes gaps between you and the belt. Belt stabilizers are best left loose for the first 15-30 minutes of hiking.




Figure 2J

G. When the waistbelt and shoulder straps are in the correct positions, walk around and notice how the pack feels against your back. The pack should conform to your back as in **Figure 2J**. Use the short evaluation below to ensure a great fit. Take notice of any pressure points, and troubleshoot them in the next section.

	feels great	discomfort/ pressure
Area A- Lumbar Pad (bottom of the belt)	<input type="checkbox"/> top	<input type="checkbox"/> top
	<input type="checkbox"/> mid	<input type="checkbox"/> mid
	<input type="checkbox"/> bottom	<input type="checkbox"/> bottom
Area B - Shoulder Pad (top of back)	<input type="checkbox"/>	<input type="checkbox"/>
Area C - Headroom	<input type="checkbox"/>	<input type="checkbox"/>


3. FRAME SHAPING

If you have answered "discomfort/pressure" see, the "Frame Shaping" section on page 10.

When you are walking with weight in the pack, the pack's shape should be exactly the same as your back. We put an average curve into the frame at the factory, but some additional fine-tuning may be required.


HINT: Most bending of the stays can be done over a knee without taking the stays out of the pack. (Bending and re-bending the stays won't hurt them.) Fit your pack with an average load with the weight close to your back, just like you would for a trip. Put on your hiking boots, walk around, and see how it feels. Use the guide below to address problems.

HINT: Wearing a pack with wrinkled clothing or seam lumps under the waistbelt can cause pressure points. Belt loops and elasticized waistbands are classic sources of discomfort.




PROBLEM: Pressure at bottom of belt

Bend at lumbar pad top (X) to tuck the pad into the small of your back.




PROBLEM: Pressure at top of back

Flatten the curve of the frame where it bows away from the back.



PROBLEM: Gap at top of shoulder

Add curve to the frame and then bend back the top (X).



PROBLEM: Need more headroom

Bend the frame away from the head (at X).

4. PACKING HINTS


Loading the pack greatly affects your comfort. Follow the guidelines below for optimum comfort.

MEDIUM ITEMS

- Cooking utensils
- Some clothing
- Some foods
- Tent body and fly

LIGHTEST ITEMS

- Sleeping bag
- Pad
- Rain, wind gear
- Bivy sack
- Bulky clothing/ fleece




HEAVY ITEMS

- Water
- Stove
- Fuel
- Food
- Tent poles

NOTE: If your pack feels like it's leaning away too much from your shoulders, you have a weight distribution problem.

Hints to keep you comfortable when out on the trail:

- When balance is crucial for off-trail travel, climbing, or skiing, pack heavy items centered and close to the back.
- The sleeping bag should always go in the bottom of the pack.
- Pack clothing and other light gear around heavy items (i.e., a stove or climbing gear) in order to keep them from shifting.
- Items you will need during the day should be packed in the top of the main compartment, the top pocket, or side pockets.
- Foam pads and odd-sized equipment (such as long tent poles) can be carried on the outside of the pack. Use the appropriate accessory patches, ice-axe loop, or ski slots for these items.
- Do not put heavy items like water bottles or climbing equipment in pockets located far from your back.



HINT: Compression stuff sacks help increase available room in the pack by compressing the size of your sleeping bag.

KELTY Lifetime Warranty

Kelty takes pride in its workmanship and undertakes to manufacture the best possible products. Kelty products are covered under warranty, to the original owner, for the lifetime of the product, against defects in materials or workmanship.

Since no Kelty product is indestructible, Kelty's warranty does not cover defects attributable to or resulting from normal wear and tear (i.e., exhausted zippers), natural hazard damage (i.e., weather, animals, ultraviolet [UV] damage on tents), abuse, or alteration.

All products being returned require a Return Authorization

number. Service under our warranty is available to the original purchaser by returning the product to any authorized Kelty dealer or by contacting our customer service department at 1-866-349-7225 (1-866-FIX-PACK) for a Return Authorization number.

If, after inspection, we determine that the product is defective, we will repair or replace it at our discretion, free of charge. If your Kelty product needs service or repair that is not covered under warranty, we will provide the necessary service at a reasonable charge.

This warranty gives you, the original purchaser, specific legal rights. You may also have other rights, which vary from state to state.